


Technical data sheet

EasyLan[®] basicLink RJ45 Keystone Cat.6 / Klasse EA

AWG 24 - AWG 22

Item No. : CKFEK001



g f e d c b a	Anpassungen Änderung Spr. basicLink basicLink Anpassungen Spr. Anpassungen Neuerstellung	28.05.2025 09.05.2025 11.03.2022 30.10.2015 20.07.2015 12.01.2015 20.02.2014	TG TG LE MJ MJ MJ MJ	drawn	30.10.2015	MJ	 EasyLan[®] ...for a better connectivity
				appr.	02.11.2015	GF	
				Titel:			
				EasyLan [®] basicLink RJ45 Keystone Cat.6 / Klasse EA AWG 24 - 22			
	Drawing number:						
Rev. Index	Revision code	Date	Name	ZN-CU151008			Dimensions: mm
							Original: DIN A4
							Sheet 1 of 4




All rights reserved ZVK GmbH D-94244 Teisnach Technologiestr. 2 Germany Phone: +49 9923 804379-0 Fax: +49 9923 804379-50 www.zvk-gmbh.de all data without guarantee

g f e d c b a	Anpassungen Änderung Spr. basicLink basicLink Anpassungen Spr. Anpassungen Neuerstellung	28.05.2025 09.05.2022 11.03.2022 30.10.2015 20.07.2015 12.01.2015 20.02.2014	TG TG LE MJ MJ MJ MJ	drawn	30.10.2015	MJ	 EasyLan® <i>...for a better connectivity</i>
				appr.	02.11.2015	GF	
				Titel:			
				EasyLan® basicLink RJ45 Keystone Cat.6 / Klasse EA AWG 24 - 22			
				Drawing number:			
Rev. Index	Revision code	Date	Name	ZN-CU151008			Dimensions: mm Original: DIN A4 Sheet 2 of 4



Technical Data

Environmental Requirements	
Particulate ingress	IP2X
Water ingress	IPX0
Ambient temperature	-40°C to +70°C
Packaging material	bio-degradable
Transmission Performance	
10 Gigabit Ethernet acc. to IEEE 802.3an	adequate
Categorie 6A	ISO/IEC 11801; DIN EN 50173-1
Class EA	typical link length > 2 m, in combination with a CP-cable: CP-Link typ. > 10 m 10 GbE is supported

Drawing




Gap size






g f e d c b a	Anpassungen Änderung Spr. basicLink basicLink Anpassungen Spr. Anpassungen Neuerstellung	28.05.2025 09.05.2025 11.03.2022 30.10.2015 20.07.2015 12.01.2015 20.02.2014	TG TG LE MJ MJ MJ MJ	drawn	30.10.2015	MJ
				appr.	02.11.2015	GF
				Titel:		
				EasyLan® basicLink RJ45 Keystone Cat.6 / Klasse EA AWG 24 - 22		
				Drawing number:		
Rev. Index	Revision code	Date	Name	ZN-CU151008		
						
				Dimensions: mm		
				Original: DIN A4		
				Sheet 3 of 4		

Drawing



Configuration



g f e d c b a	Anpassungen Änderung Spr. basicLink basicLink Anpassungen Spr. Anpassungen Neuerstellung	28.05.2025 09.05.2025 11.03.2022 30.10.2015 20.07.2015 12.01.2015 20.02.2014	TG TG LE MJ MJ MJ MJ	drawn	30.10.2015	MJ
				appr.	02.11.2015	GF
				Titel:		
				EasyLan® basicLink RJ45 Keystone Cat.6 / Klasse EA AWG 24 - 22		
				Drawing number:		
Rev. Index	Revision code	Date	Name	ZN-CU151008		
 EasyLan® ...for a better connectivity						
				Dimensions: mm		
				Original: DIN A4		
				Sheet 4 of 4		