

## R 15-GG-AL



Image is for illustration purposes only. Please refer to product description.

Part number	09 15 000 0421
Specification	R 15-GG-AL
HARTING eCatalogue	<a href="https://b2b.harting.com/09150000421">https://b2b.harting.com/09150000421</a>

### Identification

Category	Hoods/Housings
Series	R 15
Type of hood/housing	Hood

### Version

Cable entry	1x Pg 11
Locking type	Screw locking

### Technical characteristics

Limiting temperature	-40 ... +125 °C
Degree of protection acc. to IEC 60529	IP65

### Material properties

Material (hood/housing)	Aluminium
RoHS	compliant with exemption
RoHS exemptions	6(b) / 6(b)-II: Lead as an alloying element in aluminium containing up to 0,4 % lead by weight / Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead



**Pushing Performance**  
Since 1945

## Material properties

California Proposition 65 substances Yes

California Proposition 65 substances Lead  
Nickel

## Commercial data

Packaging size 10

Net weight 34.62 g

Country of origin Germany

European customs tariff number 85366990

GTIN 5713140021655

eCl@ss 27440224 Shell for circular connectors