lightnet

Basic-G5

Pendant luminaire - Direct light distribution





Article code: BG5ASL-830H-D800-P

Illustrations may only be similar and serve as an orientation.

Basic-G5. LED. Pendant luminaire. Luminaire body with 38mm visible overall height and minimalist edge of only 5mm. Luminaire body made of high-quality aluminum profile. Surface finish Radiant Silver. Direct only light distribution. Colour temperature: 3000K (Warm White). Colour Rendering Index (CRI): >80. Microprismatic screen for uniform illumination and reduced luminance in office areas. Dimmable DALI. DxH (round). D=800mm. H=38mm. Rod suspension with ceiling rose (Set). Pendant length on


request. Ceiling rose: Matching luminaire`s surface colour. High-power current. 6526lm. 54W. 9,5kg. Binning initial <= MacAdam 3. IP40. Protection class I. CE, UKCA marking. Prüfzeichen: ENEC. IK02. 220-240V. 50-60 Hz. RG0 (EN62471). Luminous flux reduction up to 0,4%/1.000 operating hours. Nominal failure rate: 0,2%/1.000 operating hours. L80B10 (tq 25°C) = 50.000h. 5 years warranty. Manufacturer: Lightnet GmbH, ISO 9001:2015 and 50001:2018 certified.

lightnet

Basic-G5

Pendant luminaire - Direct light distribution







Article code: BG5ASL-830H-D800-P

Customer / Project:		
Note:		

Productname Basic-G5
Lamp LED

Installation Type Pendant luminaire
Surface finish Radiant Silver
Light characteristics Direct light distribution

Colour temperature 3000K Colour Rendering Index (CRI) CRI>80

Optical system
Control
Length L/Diameter D (mm)
Height H (mm)
Current/Power

Microprismatic screen
Dimmable (DALI)
D=800mm
H=38mm
H=38mm
High-Power

Luminous Flux 6526lm
Power consumption 54W

Suspension Rod susp. (Set)

Ceiling rose colour Ceiling rose: Matching luminaire's

surface colour

Pendant length (mm) Pendant length on request

Degree of protection IP40

Certification Prüfzeichen: ENEC

LED lifetime L80B10 (tq 25° C) = 50.000h

Photometric code 8 30 / 3 3 9 Photobiological class RG0 (EN62471)

Indoor/Outdoor Indoor: ta [ambient] max. 25°C

Weight (kg) 9,5kg

