Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

554.665						
Supplier's name	e or trade mark:	EiKO				
Supplier's addre	ess: Sales, Mittel	wegring 20, 76751 J	lockgrim, DE			
Model identifie	r: 35004					
Type of light so	urce:					
Lighting technol	logy used:	HL	Non-directional or directional:	DLS		
Light source cap-type		GU5.3				
(or other electri	ic interface)					
Mains or non-mains:		NMLS	Connected light source (CLS):	Nein		
Colour-tuneable	e light source:	Nein	Envelope:	-		
High luminance light source:		Nein				
Anti-glare shield	d:	Nein	Dimmable:	Yes		
Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		35	Energy efficiency class	G		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		735 in Narrow cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 700		
On-mode power (P _{on}), expressed in W		35,0	Standby power (P _{sb}), expressed in W and rounded to the second decimal	-		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	99		
Outer	Height	45	Spectral power	See image		
dimensions without	Width	50	distribution in the	in last page		
vvitilout	Depth	50				

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)	- If yes, equivalent power (W)	-			
	Chromaticity coordinates (x and y)	-			
Parameters for directional light sources:					
Peak luminous intensity (cd)	- Beam angle in degrees, or the range of beam angles that can be set	24			

(a)'-': not applicable; (b)'-': not applicable;