

## Han Ex-C for HCC Han 3A with seal




Image is for illustration purposes only. Please refer to product description.

Part number	09 36 003 5409
Specification	Han Ex-C for HCC Han 3A with seal
HARTING eCatalogue	<a href="https://b2b.harting.com/09360035409">https://b2b.harting.com/09360035409</a>

### Identification

Category	Accessories
Series of hoods/housings	Han <sup>®</sup> Ex
Type of hood/housing	Protection cover
Description of hood/housing	for cable to cable housing
	Metal
	With fixing cord
	With seal

### Version

Size	3 A
Locking type	Single locking lever
Details	for mounted female insert
Details	ATTENTION! Only to be used with Han <sup>®</sup> Ex hoods and housings!

### Technical characteristics

Limiting temperature	-20 ... +40 °C
Degree of protection acc. to IEC 60529	IP65 With cable gland

### Material properties

Material (hood/housing)	Zinc die-cast
Surface (hood/housing)	Powder-coated
Colour (hood/housing)	RAL 5015 (sky blue)
Material (seal)	NBR
RoHS	compliant



**Pushing Performance**  
Since 1945

## Material properties

ELV status	compliant
China RoHS	e
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Not contained
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead
	Nickel
	Naphthalene

## Commercial data

Packaging size	10
Net weight	23.4 g
Country of origin	Germany
European customs tariff number	85389099
GTIN	5713140192270
eCl@ss	27440208 Cap for industrial connectors