

## Plug - with screwless terminals



| Product description       |                    |
|---------------------------|--------------------|
| BALS-Prd.-Nr              | 2126               |
| EAN                       | 4024941021265      |
| Product category          | QUICK-CONNECT plug |
| Current                   | 16A                |
| Number of poles           | 3p                 |
| Poles                     | 2P+PE              |
| Position of earth contact | 6 h                |
| Voltage                   | 200 up to 250V     |
| Frequency                 | 50 and 60Hz        |

| Product description    |                                                                              |
|------------------------|------------------------------------------------------------------------------|
| Protection degree      | IP44                                                                         |
| Colour code            | blue RAL 5015                                                                |
| Colour of appliance    | Collar blue RAL 5015, Cable gland grey RAL 7035, Housing cover blue RAL 5015 |
| Connection design      | screwless spring-clamp technology                                            |
| Maximum conductor size | 2,5 qmm                                                                      |
| Cable entry            | Cable gland                                                                  |
| Height                 | 134mm                                                                        |
| Width                  | 53mm                                                                         |
| Depth                  | 62mm                                                                         |
| Material of enclosure  | Polyamide                                                                    |
| Contact                | The contact carrier is made of polyamide, The contacts are brass             |

| Additional technical properties |                                                                                                                                                               |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 | Multi-Grip cable gland with gasket and integrated strain relief, Screwless housing connection with snap fastening, For cable diameter from 8 up to max. 18 mm |

| Logistics data |                  |
|----------------|------------------|
| Weight/pcs     | 0.128 kg / Piece |
| Packaging      | Carton           |
| Content amount | 10 ST            |
| EAN            | 4024941958028    |

| Logistics data |             |
|----------------|-------------|
| Length         | 275 mm      |
| Width          | 175 mm      |
| Height         | 137 mm      |
| Weight         | 1.405 kg    |
| Volume         | 5,737.5 ccm |

