






PEPA High 48 V Track, length: 2,000 mm

Article no. 88488270




Tender

High 48 V Track, length: 2,000 mm, white, Rectangular. Compact design for harmonious implementation in well-rounded architectural room concepts. Mounting method: Surface mounting, Place of installation: Ceiling-/Wall-/Pendant-mounted, Material: Aluminium, Degree of protection: (DIN EN 60529) IP20, Protection class: (DIN EN 61140) III, Voltage: 48 V DC, .


PEPA High 48 V Track, length: 2,000 mm

Article no. 88488270

Leistung	maximale Schienenlänge in Metern
100 Watt	50 m
250 Watt	35 m
Angabe beziehen sich auf eine Last, die der gelieferten Leistung entspricht und gleichmäßig auf die entsprechende Länge in der Tabelle verteilt ist.	



Article data	
Article no.	88488270
GTIN	4255752534761
Series name	PEPA
Short description	High 48 V Track, length: 2,000 mm
Material	Aluminium
Colour	white
RAL colour	9016
Type of surface	Structure
Shape	Rectangular
Length	2,000 mm
Width	26.2 mm
Height	53 mm
Weight	2.05 kg
stamp	ENEC
Conformance	CE, UKCA

Operating technology of the luminaire	
Voltage type	DC
DC nominal voltage min	48 V
DC nominal voltage max	48 V
Protection class	III
Degree of protection	IP20
Wire number	4


PEPA High 48 V Track, length: 2,000 mm

Article no. 88488270

Operating technology of driver	
DC nominal voltage min	48 V
DC nominal voltage max	48 V
Protection class	III
Degree of protection	IP20
Nominal cross-section	2.00 mm ²

Mounting technology	
Mounting method	Surface mounting
Place of installation	Ceiling-/Wall-/Pendant-mounted

Packing data	
Gross weight	2.065 kg
Length of packaging	2,002 mm
Packaging width	54 mm
Packaging height	27 mm
Disposal at end of life	This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately. By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.


PEPA High 48 V Track, length: 2,000 mm

Article no. 88488270

Optional accessories

Article no.: 88483070

End cap for high 48 V Track DALI / without cable outlet

Dimensions: 2 mm x 26.2 mm x 53.65 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88483070_2021_DE.pdf

Article no.: 88483170

End cap for high 48 V Track DALI / with cable outlet

Dimensions: 2 mm x 26.2 mm x 53.65 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88483170_2021_DE.pdf

Article no.: 88488600

Stabilisation plate for use only with 48 V busbars 88488xxx and 88470xxx

Dimensions: 80 mm x 22.7 mm x 5.9 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88488600_2021_DE.pdf

Article no.: 88488070

Ceiling mounting suitable for the high 48 V Track

Dimensions: 57 mm x 28.8 mm x 5.5 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88488070_2021_DE.pdf

Article no.: 88484070

90° L-connector for 48 V Track

Dimensions: 105 mm x 16.3 mm x 18.2 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88484070_2021_DE.pdf

Article no.: 88484170

Flexible connector for 48 V Track

Dimensions: 273.5 mm x 16.3 mm x 18.2 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88484170_2021_DE.pdf

Article no.: 88484270

End feed for 48 V Track

Dimensions: 111.7 mm x 16.3 mm x 18.2 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88484270_2021_DE.pdf

Article no.: 88484370

Electrical connector for 48 V Track

Dimensions: 105 mm x 16.3 mm x 18.2 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88484370_2021_DE.pdf

Article no.: 88489170

90° corner connector for 48 V Tracks 88488xxx

Dimensions: 53.2 mm x 53.2 mm x 53.65 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88489170_2021_DE.pdf

Article no.: 88498270

Plastic T-connector for 48 V Tracks 88488170, 88488270 and 88488370

Dimensions: 78 mm x 53.2 mm x 53.6 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88498270_2021_DE.pdf

**PEPA High 48 V Track, length: 2,000 mm**
Article no. 88488270**Optional accessories**

Article no.: 88498370

X-connector for 48 V Tracks 88488170, 88488270 and 88488370

Dimensions: 78 mm x 78 mm x 53.6 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88498370_2021_DE.pdf

Article no.: 88484470

Flexible T-connector for 48 V Track

Dimensions: 278 mm x 16.3 mm x 18.2 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88484470_2021_DE.pdf

Article no.: 88484570

Flexible X-connector for 48 V Track

Dimensions: 278 mm x 16.3 mm x 18.2 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88484570_2021_DE.pdf

Article no.: 81107000

Track pliers

https://www.brumberg.com/fileadmin/products/Datenblatt_81107000_2021_DE.pdf

Article no.: 88487570

Blind cover suitable for 88488x70, length: 3,000 mm

Dimensions: 3,000 mm x 24.6 mm x 5 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88487570_2021_DE.pdf